


Metallic mineral deposits

Wisconsin Geological and Natural History Survey

Factsheet 04 | 2014



Not an exhaustive list of deposits;
this map shows only locations that
are currently of interest.

Metallic mineral deposits

Wisconsin Geological and Natural History Survey

Factsheet 04 | 2014

Metallic mineral deposits are defined as naturally occurring, local concentrations of metal-bearing minerals. Where iron is the dominant metal, the deposit may be characterized as *ferrous*. Deposits containing concentrations of all other metals are termed *nonferrous*. Depending on the particular metal-bearing mineral, the metal may be chemically combined with a variety of compounds including oxides, sulfides, carbonates, and silicates. This is true for both ferrous and nonferrous deposits.

Metallic mineral deposits become “economic” only when they can be mined at a profit. The locations

shown on the attached map are divided into *deposits*—known concentrations of metal-bearing minerals that have not yet proven to be economic, and *mines*—deposits that were economically viable, permitted, mined, and subsequently reclaimed.

Over the past 50 years, exploration in Wisconsin has identified approximately 20 nonferrous metallic mineral deposits scattered across the northern half of the state. (The map on the opposite side shows only deposits that are currently of interest.) The Crandon deposit, containing approximately 55 million tons of zinc and copper ore, is the “giant” in the region. The Bend and

Lynne deposits are the largest of the rest, each containing 4 to 6 million tons of proven metal reserves.

Two Michigan deposits (Copperwood and the Back Forty) are included on the map. Both are relatively large tonnage, nonferrous sulfide deposits. If these deposits become mines, they will likely include ore processing infrastructure (such as a mill) whose proximity to northern Wisconsin sulfide deposits may well make those deposits more economically viable.

For more information:

For more details about metallic mineral deposits in Wisconsin, please contact:

Esther K. Stewart

Geologist, Wisconsin Geological and Natural History Survey
608.263.3201
esther.stewart@wgnhs.uwex.edu



© Applied Ecological Services

▲ **Flambeau mine, 1996:** Production at the Flambeau mine began in 1993. The mine produced 1.9 million tons of high-grade copper ore—yielding 181,000 tons of copper, 3.3 million ounces of silver, and 334,000 ounces of gold—before it was closed in 1997.