

Wisconsin Geological and Natural History Survey
 Miscellaneous Map 42 1997
 Groundwater Quality Investigation Maps
 of Burnett County, Wisconsin
 Plate 4

A part of the Burnett County Groundwater Resource Investigation,
 a joint project of the Wisconsin Geological and Natural History Survey
 and the Burnett County Board of Supervisors.

Compiled by M.S. Bridson
 Automation by K.C. Roushar
 Edited by K.J. Cates

EXPLANATION

143 total hardness of water sample, in mg/L

GEOLOGIC MATERIALS CONTRIBUTING WATER TO WELL BY SOURCE OF DATA

| FROM WELL CONSTRUCTOR'S REPORT ⁵ | INFERRED FROM HOMEOWNER INFORMATION OR WELL CONSTRUCTOR'S REPORTS FROM NEARBY WELLS |
|---|---|
| ● sand and/or gravel | ● sand and/or gravel |
| ○ sandstone or sandstone and shale | |
| ◎ basalt or granite | |
| ? unknown | ⑦ unknown |

⁵Well Constructor's Report represents the most probable match of a Wisconsin Department of Natural Resources Well Constructor's Report on file at the Wisconsin Geological and Natural History Survey to the sampled well on the basis of information provided by the homeowner, the location of the well as reported by the well driller, land ownership information from plat books, and building locations as shown on U.S. Geological Survey 7.5-minute topographic maps.

Note: In areas where sampled wells with the same map symbol are too close together for the symbols to be clearly identified, one symbol is used, and the water-quality results are next to the combined symbol. However, if the map symbols are different, then two slightly separated symbols are shown, and water-quality results are next to each symbol.

Samples were collected January 1991 through April 1994 by John Donlin under the supervision of Dave Ferris (Burnett County Land Conservation Department), and were frozen prior to analysis. Chemical analyses were performed December 1991 through October 1994 by K.L. Lund (Wisconsin Geological and Natural History Survey).

Analytical method used: EDTA titration, using Man Ver 2 Hardness Reagent and a HACH digital titrator.

Reference: HACH Company Digital Titrator Model 16900-01 Methods Manual, 1980, p. 74-81.

Reproducibility: ± 5 mg/L at ≤ 200 mg/L; detection limit, 2 mg/L (CaCO₃).



Scale 1:100,000
 1 2 3 4 5 6 7 8 9 10
 KILOMETERS
 1 2 3 4 5
 MILES




Plate 4 Total Hardness in mg/L

Base map from U.S. Geological Survey County Map Series (Topographic), 1985.